

2024/25 YR. ANNUAL INSPECTION REPORT

ELEVATOR INSPECTION FORM

I 23562



#1 PASSENGER CAR SOUTH
/ Elevator Inspection Service

Est. 1976



745 McClintock Drive, Suite 235, Burr Ridge, IL 60527 • Phone 630-323-6541 / Fax 630-323-7149

Address 120 E LIBERTY

Unit

Bldg. Name WHEATON PROPERTIES

Make

Bldg. Rep.

Speed

Phone No.

Date

Code Edition: ASME A 17.1

A17.3

V/T/C

ID #

Inspection & Test ☐ Routine ☐ Periodic ☐ Acceptance

Power

Capacity

FL/PT

Em Ph

Em Light

OK NG NA		OK NG NA		OK NG NA	
1. ELEVATOR-INSIDE OF CAR		2.24 (T) AC drives from a DC source		3.25 (T) Car, overhead, & deflector sheaves	
1.1	☒	2.25	☒	3.26	☒
1.2	☒	2.26	☒	3.27	☒
1.3	☒	2.27	☒	3.28	☒
1.4	☒	2.28	☒	3.29	☒
1.5	☒	2.29	☒	3.30	☒
1.6	☒	2.30	☒	3.31	☒
1.7	☒	2.31	☒	3.32	☒
1.8	☒	2.32	☒	3.33	☒
1.9	☒	2.33	☒	4. ELEVATOR-OUTSIDE HOISTWAY	
1.10	☒	2.34	☒	4.1	☒
1.11	☒	2.35	☒	4.2	☒
1.12	☒	2.36	☒	4.3	☒
1.13	☒	2.37	☒	4.4	☒
1.14	☒	2.38	☒	4.5	☒
1.15	☒	2.39	☒	4.6	☒
1.16	☒	2.40	☒	4.7	☒
1.17	☒	2.41	☒	4.8	☒
1.18	☒	2.42	☒	4.9	☒
1.19	☒	3. ELEVATOR-TOP OF CAR		4.10	☒
2. ELEVATOR-MACHINE ROOM		3.1	☒	4.11	☒
2.1	☒	3.2	☒	4.12	☒
2.2	☒	3.3	☒	4.13	☒
2.3	☒	3.4	☒	5. ELEVATOR-PIT	
2.4	☒	3.5	☒	5.1	☒
2.5	☒	3.6	☒	5.2	☒
2.6	☒	3.7	☒	5.3	☒
2.7	☒	3.8	☒	5.4	☒
2.8	☒	3.9	☒	5.5	☒
2.9	☒	3.10	☒	5.6	☒
2.10	☒	3.11	☒	5.7	☒
2.11	☒	3.12	☒	5.8	☒
2.12	☒	3.13	☒	5.9	☒
2.13	☒	3.14	☒	5.10	☒
2.14	☒	3.15	☒	5.11	☒
2.15	☒	3.16	☒	5.12	☒
2.16	☒	3.17	☒	5.13	☒
2.17	☒	3.18	☒	5.14	☒
2.18	☒	3.19	☒	6. ELEVATOR FIRE SERVICE	
2.19	☒	3.20	☒	6.1	☒
2.20	☒	3.21	☒	6.2	☒
2.21	☒	3.22	☒	F.A.I.D. Date <u>12-6-24</u>	
2.22	☒	3.23	☒	7. ELEVATOR TACTILE IDENTIFICATION	
2.23	☒	3.24	☒	(410 ILCS 30/1)	

COMMENTS:

OK - meets requirement NG - insert number to identify comment NA - not applicable (T) Traction Cars (*) Installed under A17.1b-1989 and later editions

THIS IS THE OFFICIAL INSPECTION FORM APPROVED BY THE OFFICE OF THE STATE FIRE MARSHAL, DIVISION OF ELEVATOR SAFETY.
THE ELEVATOR SAFETY ACT PA 92-0873/120 MANDATES EACH CONVEYANCE BE INSPECTED ANNUALLY.

☐ FAIL - RE-INSPECT IN _____ DAYS
☒ PASS - CONDITION GOOD -
Approved for Certificate

Elevator Co./Building Representative

Elev Co Lic # IL

Elev Mech Lic # IL

Inspector's Signature

Inspector QEI #

Inspector's Lic # IL

PERIODIC TESTS OF ELECTRIC ELEVATORS

T 45487

2024/25 YR. ANNUAL INSPECTION REPORT

 #1 PASSENGER CAR - NORTH EIS / Elevator Inspection Service Phone 630.323.6541 • Fax 630.323.7149	Date	12/6/24
	V-T-C	WHEATON
Bldg. Name: <u>Wheaton PROPERTIES</u> Address: <u>120 E. LIBERTY</u> Bldg. Phone: Owner / Manager Name	State of IL Reg. I.D.#	1006916
	Date of Last 5 Year Test	11/1/23
	P.O.#	4550992199
	Bldg. I.D.	#1 PASSENGER
	Pass / Freight / Service - Make:	KONE
	Speed:	150 Capacity: 2500

Category 1 Test Requirement 8.6.4.19	ASME Section	Pass	Fail	N/A
Oil Buffers	8.6.4.19.1			
Safeties	8.6.4.19.2	X		
Governors	8.6.4.19.3	X		
Slack-Rope Devices on Winding Drum Mach.	8.6.4.19.4			
Normal & Final Terminal Stopping Devices	8.6.4.19.5	X		
Firefighters' Emergency Operation	8.6.4.19.6	X		
Standby or Emergency Power Operation	8.6.4.19.7	X		
Power Operation of Door System	8.6.4.19.8	X		
Broken Rope, Tape, or Chain Switch	8.6.4.19.9			
E/E/PES Electrical Protective Devices	8.6.4.19.10	X		

Category 5 Test Requirement 8.6.4.20	ASME Section	Pass	Fail	N/A
Car & Counterweight Safeties	8.6.4.20.1			
Governors	8.6.4.20.2			
Oil Buffers	8.6.4.20.3			
Braking System	8.6.4.20.4			
Emergency and Standby Power Operation	8.6.4.20.5			
Emergency Terminal Stopping & Speed Limiting Devices	8.6.4.20.6			
Power Opening of Doors	8.6.4.20.7			
Leveling Zone & Leveling Speed	8.6.4.20.8			
Inner Landing Zone	8.6.4.20.9			
Emergency Stopping Distance	8.6.4.20.10			

GOVERNOR & SAFETY TEST (Rule 1002.3A)							
Gov. Trip Spd	Prev.	Present	fpm	Gov. Pull Thru			
O.S. Trip Spd	Prev.	Present	fpm	Gov. Pull Out			
Weight Test	No Load	X	Full Load	Capacity	2500	Length of Slide-	Left Right
Was Load & Speed Test Satisfactory?	Yes	No		Brake at 125%	Yes	No	
Safety Type	Instant.	Flex Guide	Other	Was Governor Sealed	Yes	No	
		X		Was Governor Tagged	Yes	No	

OIL BUFFER TEST (Rule 100.2A) Annual			
Load & Speed Test Satisfactory?	Yes	NA	No
Oil Level & Return Test Satisfactory?	Yes	X	No

F.A.I.D. (Fire Alarm Initiating Device) Operation	ASME Section	Pass	Fail	N/A
11-23	# of Landings			
Total Hours Testing	Machine Room			
	Hoistway			
	Pit			

Comments:	
Signature of Inspector <u>Anthony Pungzo</u> C5684 OEI# <u>05186</u>	Signature of Person Conducting Test & State License # <u>SHAWN # 02845</u> Employed by (Company Name) <u>KONE</u>
Inspector's State of Illinois License #	

2024/25 YR. ANNUAL INSPECTION REPORT

ELEVATOR INSPECTION FORM #2 PASSENGER - SOUTH

I 23595

12-6-24



Elevator Inspection Service

Est. 1976



745 McClintock Drive, Suite 235, Burr Ridge, IL 60527 • Phone 630-323-6541 / Fax 630-323-7149

Address 120 E LIBERTY

Unit

#2 PASSENGER

Bldg. Name WHEATON PROPERTIES

Make

KONE

Bldg. Rep.

Speed

150

fpm

Phone No.

Date

Code Edition: ASMEA 17.1

A17.3

V/T/C

WHEATON

ID #

#2PASS

Convey #

1006915

Inspection & Test ☒ Routine ☐ Periodic ☐ Acceptance

Power

EWET

FL/PT

12-29

Capacity

2500

Em Ph

PASS

Em Light

PASS

	OK	NG	NA		OK	NG	NA		OK	NG	NA
1. ELEVATOR-INSIDE OF CAR				2.24 (T) AC drives from a DC source				3.25 (T) Car, overhead, & deflector sheaves			
1.1 Door reopening device	☒	☐	☐	2.25 (T) Traction sheaves	☒	☐	☐	3.26 (T) Broken rope, chain, or tape switch	☒	☐	☐
1.2 Stop switches	☒	☐	☐	2.26 (T) Secondary & deflector sheaves	☒	☐	☐	3.27 Crosshead data plate & rope data tags	☒	☐	☐
1.3 Operating control devices	☒	☐	☐	2.27 (T) Rope fastenings	☒	☐	☐	3.28 Counterweight & counterweight buffer	☒	☐	☐
1.4 Sills & car floor	☒	☐	☐	2.28 (T) Terminal stopping devices	☒	☐	☐	3.29 Counterweight safeties	☒	☐	☐
1.5 Car lighting & receptacles	☒	☐	☐	2.29 (T) Car & counterweight safeties	☒	☐	☐	3.30 Speed test	☒	☐	☐
1.6 Car emergency signal-lighting	☒	☐	☐	2.30 Hydraulic power unit	☒	☐	☐	3.31 Slack rope device-roped hydr elevs (*)	☒	☐	☐
1.7 Car door or gate	☒	☐	☐	2.31 Relief valves	☒	☐	☐	3.32 Traveling sheave-roped hydr elevs (*)	☒	☐	☐
1.8 Door closing force	☒	☐	☐	2.32 Control valve	☒	☐	☐	3.33 (T) Compensating ropes & chains	☒	☐	☐
1.9 Power closing of doors or gates	☒	☐	☐	2.33 Tanks	☒	☐	☐	4. ELEVATOR-OUTSIDE HOISTWAY			
1.10 Power opening of doors or gates	☒	☐	☐	2.34 Flexible hydr hose & fitting assemblies	☒	☐	☐	4.1 Car platform guard	☒	☐	☐
1.11 Car vision panels & glass car doors	☒	☐	☐	2.35 Supply line & shutoff valve	☒	☐	☐	4.2 Hoistway doors	☒	☐	☐
1.12 Car enclosure	☒	☐	☐	2.36 Hydraulic cylinders	☒	☐	☐	4.3 Vision panels	☒	☐	☐
1.13 Emergency exit	☒	☐	☐	2.37 Pressure switch	☒	☐	☐	4.4 Hoistway door locking devices	☒	☐	☐
1.14 Ventilation	☒	☐	☐	2.38 Robed water hydraulic elevators	☒	☐	☐	4.5 Access to hoistway	☒	☐	☐
1.15 Signs & operating device symbols	☒	☐	☐	2.39 Low oil protection	☒	☐	☐	4.6 Power closing of hoistway doors	☒	☐	☐
1.16 Rated load, platform area, & data plate	☒	☐	☐	2.40 Inspection control	☒	☐	☐	4.7 Sequence operation	☒	☐	☐
1.17 Standby power operation	☒	☐	☐	2.41 Maintenance records	☒	☐	☐	4.8 Hoistway enclosure	☒	☐	☐
1.18 Restricted opening of car or hoistway doors	☒	☐	☐	2.42 Static control	☒	☐	☐	4.9 Elevator Parking devices	☒	☐	☐
1.19 Car Ride	☒	☐	☐	3. ELEVATOR-TOP OF CAR				4.10 Emergency doors in blind hoistways	☒	☐	☐
2. ELEVATOR-MACHINE ROOM				3.1 Top-of-car stop switch	☒	☐	☐	4.11 (T) Separate counterweight hoistway	☒	☐	☐
2.1 Access to machine space	☒	☐	☐	3.2 Car top light & outlet	☒	☐	☐	4.12 Standby power selection switch	☒	☐	☐
2.2 Headroom	☒	☐	☐	3.3 Top-of-car operating device	☒	☐	☐	4.13 Inspection control	☒	☐	☐
2.3 Lighting & receptacles	☒	☐	☐	3.4 Normal terminal stopping devices	☒	☐	☐	5. ELEVATOR-PIT			
2.4 Machine space	☒	☐	☐	3.5 Clearance, refuge space standard railing	☒	☐	☐	5.1 Pit access, lighting, stop switch, & condition	☒	☐	☐
2.5 Housekeeping	☒	☐	☐	3.6 Final & emerg terminal stopping devices	☒	☐	☐	5.2 Bottom clearance, runby & min. refuge space	☒	☐	☐
2.6 Ventilation	☒	☐	☐	3.7 Car leveling & anticreep devices	☒	☐	☐	5.3 (T) Final & emergency terminal stopping devices	☒	☐	☐
2.7 Fire extinguisher	☒	☐	☐	3.8 Top emergency exit	☒	☐	☐	5.4 Normal terminal stopping devices	☒	☐	☐
2.8 Pipes, wiring & ducts	☒	☐	☐	3.9 Floor & emerg identification numbering	☒	☐	☐	5.5 Traveling cables	☒	☐	☐
2.9 Guarding of exposed auxiliary equipment	☒	☐	☐	3.10 Hoistway construction	☒	☐	☐	5.6 Governor-rope tension devices	☒	☐	☐
2.10 #ing of elevators, machines, disconnects	☒	☐	☐	3.11 Hoistway smoke control	☒	☐	☐	5.7 Car Frame & platform	☒	☐	☐
2.11 Disconnecting means & control	☒	☐	☐	3.12 Pipes, wiring & ducts	☒	☐	☐	5.8 Car safeties & guiding memb-incl roped-hydr elev(*)	☒	☐	☐
2.12 Controller wiring, fuses, grounding, etc.	☒	☐	☐	3.13 Windows, projections, recesses, & setbacks	☒	☐	☐	5.9 (T) Buffers & emerg terminal speed limiting devices	☒	☐	☐
2.13 Governor, overspeed switch, & seal	☒	☐	☐	3.14 Hoistway clearances	☒	☐	☐	5.10 (T) Compensating chains, ropes & sheaves	☒	☐	☐
2.14 Code data plate	☒	☐	☐	3.15 Multiple hoistways	☒	☐	☐	5.11 Plunger & cylinder	☒	☐	☐
2.15 (T) Static control	☒	☐	☐	3.16 Traveling cables & junction boxes	☒	☐	☐	5.12 Car Buffer	☒	☐	☐
2.16 (T) Overhead beam & fastenings	☒	☐	☐	3.17 Door & gate equipment	☒	☐	☐	5.13 Guiding members	☒	☐	☐
2.17 (T) Drive machine brake	☒	☐	☐	3.18 Car frame & stiles	☒	☐	☐	5.14 Supply piping	☒	☐	☐
2.18 (T) Traction drive machines	☒	☐	☐	3.19 Guide rails fastening & equipment	☒	☐	☐	6. ELEVATOR FIRE SERVICE			
2.19 (T) Gears, bearings, & flexible coupling	☒	☐	☐	3.20 Governor rope	☒	☐	☐	6.1 PH 1 ONLY	☒	☐	☐
2.20 (T) Winding drum mach & slack cable dev	☒	☐	☐	3.21 Governor releasing carrier	☒	☐	☐	6.2 PH 1 & PH 2	☒	☐	☐
2.21 (T) Belt or chain-drive machine	☒	☐	☐	3.22 Wire rope fastening & hitch plate	☒	☐	☐	F.A.I.D. Date <u>11.23</u>	☒	☐	☐
2.22 (T) Motor generator	☒	☐	☐	3.23 Suspension rope	☒	☐	☐	7. ELEVATOR TACTILE IDENTIFICATION			
2.23 (T) Absorption of regenerated power	☒	☐	☐	3.24 (T) Top counterweight clearance	☒	☐	☐	(410 ILCS 30/1)	☒	☐	☐

COMMENTS:

OK - meets requirement NG - insert number to identify comment NA - not applicable (T) Traction Cars (*) installed under A17 1b-1989 and later editions

THIS IS THE OFFICIAL INSPECTION FORM APPROVED BY THE OFFICE OF THE STATE FIRE MARSHAL, DIVISION OF ELEVATOR SAFETY.
THE ELEVATOR SAFETY ACT PA 92-0873/120 MANDATES EACH CONVEYANCE BE INSPECTED ANNUALLY.

☒ FAIL - RE-INSPECT IN _____ DAYS
☒ PASS - CONDITION GOOD -
Approved for Certificate

Elevator Co./Building Representative

Elev Co Lic # IL

Elev Mech Lic # IL

Inspector's Signature

Inspector QEI #

Inspector's Lic # IL

2024/25 VR. ANNUAL INSPECTION REPORT

PERIODIC TESTS OF ELECTRIC ELEVATORS

T 45488

 #2 PASSENGER CAR - SOUTH EIS / Elevator Inspection Service Phone 630.323.6541 • Fax 630.323.7149	Date <u>12-6-24</u>
	V-T-C <u>WHEATON</u>
	State of IL Reg. I.D.# <u>7006915</u>
	Date of Last 5 Year Test <u>11/123</u>
Bldg. Name: <u>120 E LIBERTY</u>	P.O.# <u>455 0992199</u>
Address: <u>120 E LIBERTY</u>	Bldg. I.D. <u>#2 PASS</u>
Bldg. Phone:	Pass / Freight / Service - Make: <u>KONE</u>
Owner / Manager Name	Speed: <u>150</u> Capacity: <u>2500</u>

Category 1 Test Requirement 8.6.4.19	ASME Section	Pass	Fail	N/A
Oil Buffers	8.6.4.19.1			X
Safeties	8.6.4.19.2	X		
Governors	8.6.4.19.3	X		
Slack-Rope Devices on Winding Drum Mach.	8.6.4.19.4			X
Normal & Final Terminal Stopping Devices	8.6.4.19.5	X		
Firefighters' Emergency Operation	8.6.4.19.6	X		
Standby or Emergency Power Operation	8.6.4.19.7	X		
Power Operation of Door System	8.6.4.19.8	X		
Broken Rope, Tape, or Chain Switch	8.6.4.19.9			X
E/E/PES Electrical Protective Devices	8.6.4.19.10	X		

Category 5 Test Requirement 8.6.4.20	ASME Section	Pass	Fail	N/A
Car & Counterweight Safeties	8.6.4.20.1	/		
Governors	8.6.4.20.2			
Oil Buffers	8.6.4.20.3			
Braking System	8.6.4.20.4			
Emergency and Standby Power Operation	8.6.4.20.5			
Emergency Terminal Stopping & Speed Limiting Devices	8.6.4.20.6			
Power Opening of Doors	8.6.4.20.7			
Leveling Zone & Leveling Speed	8.6.4.20.8			
Inner Landing Zone	8.6.4.20.9			
Emergency Stopping Distance	8.6.4.20.10			

GOVERNOR & SAFETY TEST (Rule 1002.3A)							
Gov. Trip Spd	Prev.	Present	fpm	Gov. Pull Thru			
O.S. Trip Spd	Prev.	Present	fpm	Gov. Pull Out			
Weight Test	No Load <u>X</u>	Full Load		Capacity <u>2500</u>	Length of Slide- Left	Right	
Was Load & Speed Test Satisfactory?	Yes <u>NA</u>	No		Brake at 125%	Yes	No	
Safety Type	Instant.	Flex Guide	Other	Was Governor Sealed	Yes	No	
		<u>X</u>		Was Governor Tagged	Yes	No	

OIL BUFFER TEST (Rule 100.2A) Annual			
Load & Speed Test Satisfactory?	Yes <u>NA</u>	No	
Oil Level & Return Test Satisfactory?	Yes <u>X</u>	No	

F.A.I.D. (Fire Alarm Initiating Device) Operation	ASME Section	Pass	Fail	N/A
<u>1-2-3</u>	# of Landings	2.27.3.2.1.(a)		
Total Hours Testing <u>2</u>	Machine Room	2.27.3.2.1.(b)	/	
	Hoistway	2.27.3.2.1.(c)		
	Pit	2.27.3.2.1.(c)		

Comments:	
Signature of Inspector <u>Anthony H. Panofsky 65684</u> OEI # <u>05186</u>	Signature of Person Conducting Test & State License # <u>SHAWN #IL 02845</u> <u>KONE</u>
Inspector's State of Illinois License #	Employed by (Company Name)

2024/25 YR. ANNUAL INSPECTION REPORT
ELEVATOR INSPECTION FORM #3 CAR - FREIGHT

I 23598



Elevator Inspection Service

Est. 1976



745 McClintock Drive, Suite 235, Burr Ridge, IL 60527 • Phone 630-323-6541 / Fax 630-323-7149

Address 120 E LIBERTY Unit #3 PASS/SEN
Bldg. Name WILHELM PROPERTIES Make KONE
Bldg. Rep. _____ Speed 150 fpm
Phone No. _____

Date 12-6-24
Code Edition: ASME A17.1 _____ A17.3 _____
V/T/C WILHELM
ID # 3 Convey # 7006917
Inspection & Test ☐ Routine ☐ Periodic ☐ Acceptance
Power ENG FL/PT 12-6-24
Capacity 2500 Em Ph OK
Em Light OK

	OK	NG	NA		OK	NG	NA		OK	NG	NA
1. ELEVATOR-INSIDE OF CAR				2.24	(T) AC drives from a DC source			3.25	(T) Car, overhead, & deflector sheaves		
1.1	Door reopening device			2.25	(T) Traction sheaves			3.26	(T) Broken rope, chain, or tape switch		
1.2	Stop switches			2.26	(T) Secondary & deflector sheaves			3.27	Crosshead data plate & rope data tags		
1.3	Operating control devices			2.27	(T) Rope fastenings			3.28	Counterweight & counterweight buffer		
1.4	Sills & car floor			2.28	(T) Terminal stopping devices			3.29	Counterweight safeties		
1.5	Car lighting & receptacles			2.29	(T) Car & counterweight safeties			3.30	Speed test		
1.6	Car emergency signal-lighting			2.30	Hydraulic power unit			3.31	Slack rope device-roped hydr elevs (*)		
1.7	Car door or gate			2.31	Relief valves			3.32	Traveling sheave-roped hydr elevs (*)		
1.8	Door closing force			2.32	Control valve			3.33	(T) Compensating ropes & chains		
1.9	Power closing of doors or gates			2.33	Tanks			4. ELEVATOR-OUTSIDE HOISTWAY			
1.10	Power opening of doors or gates			2.34	Flexible hydr hose & fitting assemblies			4.1	Car platform guard		
1.11	Car vision panels & glass car doors			2.35	Supply line & shutoff valve			4.2	Hoistway doors		
1.12	Car enclosure			2.36	Hydraulic cylinders			4.3	Vision panels		
1.13	Emergency exit			2.37	Pressure switch			4.4	Hoistway door locking devices		
1.14	Ventilation			2.38	Robed water hydraulic elevators			4.5	Access to hoistway		
1.15	Signs & operating device symbols			2.39	Low oil protection			4.6	Power closing of hoistway doors		
1.16	Rated load, platform area, & data plate			2.40	Inspection control			4.7	Sequence operation		
1.17	Standby power operation			2.41	Maintenance records			4.8	Hoistway enclosure		
1.18	Restricted opening of car or hoistway doors			2.42	Static control			4.9	Elevator Parking devices		
1.19	Car Ride			3. ELEVATOR-TOP OF CAR				4.10	Emergency doors in blind hoistways		
2. ELEVATOR-MACHINE ROOM				3.1	Top-of-car stop switch			4.11	(T) Separate counterweight hoistway		
2.1	Access to machine space			3.2	Car top light & outlet			4.12	Standby power selection switch		
2.2	Headroom			3.3	Top-of-car operating device			4.13	Inspection control		
2.3	Lighting & receptacles			3.4	Normal terminal stopping devices			5. ELEVATOR-PIT			
2.4	Machine space			3.5	Clearance, refuge space standard railing			5.1	Pit access, lighting, stop switch, & condition		
2.5	Housekeeping			3.6	Final & emerg terminal stopping devices			5.2	Bottom clearance, runby & min. refuge space		
2.6	Ventilation			3.7	Car leveling & anticreep devices			5.3	(T) Final & emergency terminal stopping devices		
2.7	Fire extinguisher			3.8	Top emergency exit			5.4	Normal terminal stopping devices		
2.8	Pipes, wiring & ducts			3.9	Floor & emerg identification numbering			5.5	Traveling cables		
2.9	Guarding of exposed auxiliary equipment			3.10	Hoistway construction			5.6	Governor-rope tension devices		
2.10	#ing of elevators, machines, disconnects			3.11	Hoistway smoke control			5.7	Car Frame & platform		
2.11	Disconnecting means & control			3.12	Pipes, wiring & ducts			5.8	Car safeties & guiding memb-incl roped-hydr elev(*)		
2.12	Controller wiring, fuses, grounding, etc.			3.13	Windows, projections, recesses, & setbacks			5.9	(T) Buffers & emerg terminal speed limiting devices		
2.13	Governor, overspeed switch, & seal			3.14	Hoistway clearances			5.10	(T) Compensating chains, ropes & sheaves		
2.14	Code data plate			3.15	Multiple hoistways			5.11	Plunger & cylinder		
2.15	(T) Static control			3.16	Traveling cables & junction boxes			5.12	Car Buffer		
2.16	(T) Overhead beam & fastenings			3.17	Door & gate equipment			5.13	Guiding members		
2.17	(T) Drive machine brake			3.18	Car frame & stiles			5.14	Supply piping		
2.18	(T) Traction drive machines			3.19	Guide rails fastening & equipment			6. ELEVATOR FIRE SERVICE			
2.19	(T) Gears, bearings, & flexible coupling			3.20	Governor rope			6.1	PH 1 ONLY		
2.20	(T) Winding drum mach & slack cable dev			3.21	Governor releasing carrier			6.2	PH 1 & PH 2		
2.21	(T) Belt or chain-drive machine			3.22	Wire rope fastening & hitch plate			F.A.I.D. Date <u>10/1/2024</u>			
2.22	(T) Motor generator			3.23	Suspension rope			7. ELEVATOR TACTILE IDENTIFICATION			
2.23	(T) Absorption of regenerated power			3.24	(T) Top counterweight clearance			(410 ILCS 30/1)			

COMMENTS:

OK - meets requirement NG - insert number to identify comment NA - not applicable (T) Traction Cars (*) installed under A17 1b-1989 and later editions

THIS IS THE OFFICIAL INSPECTION FORM APPROVED BY THE OFFICE OF THE STATE FIRE MARSHAL, DIVISION OF ELEVATOR SAFETY.
THE ELEVATOR SAFETY ACT PA 92-0873/120 MANDATES EACH CONVEYANCE BE INSPECTED ANNUALLY.

☐ FAIL - RE-INSPECT IN _____ DAYS
☒ PASS - CONDITION GOOD
Approved for Certificate

Elevator Co./Building Representative _____
Elev Co Lic # IL _____
Elev Mech Lic # IL _____

Inspector's Signature _____
Inspector QEI # _____
Inspector's Lic # IL _____

PERIODIC TESTS OF ELECTRIC ELEVATORS

T 45493

2024/25 1R. ANNUAL INSPECTION REPORT

 #3 CAR-FREIGHT EIS / Elevator Inspection Service Phone 630.323.6541 • Fax 630.323.7149	Date	12.6.24
	V-T-C	WHEATON
Bldg. Name: <u>120 E WHEATON PROPERTIES</u> Address: <u>120 E LIBERTY</u> Bldg. Phone: Owner / Manager Name	State of IL Reg. I.D.#	7006417
	Date of Last 5 Year Test	11/123
	P.O.#	4550992199
	Bldg. I.D.	#3 SERV 18448
	Pass / Freight / Service - Make:	FORCE
	Speed:	150 Capacity: 3500

Category 1 Test Requirement 8.6.4.19	ASME Section	Pass	Fail	N/A
Oil Buffers	8.6.4.19.1			—
Safeties	8.6.4.19.2	✓		
Governors	8.6.4.19.3	✓		
Slack-Rope Devices on Winding Drum Mach.	8.6.4.19.4	✓		—
Normal & Final Terminal Stopping Devices	8.6.4.19.5	✓		
Firefighters' Emergency Operation	8.6.4.19.6	✓		
Standby or Emergency Power Operation	8.6.4.19.7	✓		
Power Operation of Door System	8.6.4.19.8	✓		
Broken Rope, Tape, or Chain Switch	8.6.4.19.9			—
E/E/PES Electrical Protective Devices	8.6.4.19.10	✓		

Category 5 Test Requirement 8.6.4.20	ASME Section	Pass	Fail	N/A
Car & Counterweight Safeties	8.6.4.20.1			
Governors	8.6.4.20.2			
Oil Buffers	8.6.4.20.3			
Braking System	8.6.4.20.4			
Emergency and Standby Power Operation	8.6.4.20.5			
Emergency Terminal Stopping & Speed Limiting Devices	8.6.4.20.6			
Power Opening of Doors	8.6.4.20.7			
Leveling Zone & Leveling Speed	8.6.4.20.8			
Inner Landing Zone	8.6.4.20.9			
Emergency Stopping Distance	8.6.4.20.10			

GOVERNOR & SAFETY TEST (Rule 1002.3A)							
Gov. Trip Spd	Prev.	Present	fpm	Gov. Pull Thru			
O.S. Trip Spd	Prev.	Present	fpm	Gov. Pull Out			
Weight Test	No Load	Full Load		Capacity	3500	Length of Slide- Left	Right
Was Load & Speed Test Satisfactory?	Yes	No		Brake at 125%	Yes	No	
Safety Type	Instant.	Flex Guide	Other	Was Governor Sealed	Yes	No	
				Was Governor Tagged	Yes	No	

OIL BUFFER TEST (Rule 100.2A) Annual			
Load & Speed Test Satisfactory?	Yes	No	Oil Level & Return Test Satisfactory?
			Yes

F.A.I.D. (Fire Alarm Initiating Device) Operation	ASME Section	Pass	Fail	N/A
# of Landings	2.27.3.2.1.(a)			
Machine Room	2.27.3.2.1.(b)			
Hoistway	2.27.3.2.1.(c)			
Pit	2.27.3.2.1.(c)			

Comments:	
Signature of Inspector	Signature of Person Conducting Test & State License #
Inspector's State of Illinois License #	Employed by (Company Name)